L	Hits	Search Text	DB	Time stamp
Number 1	930	recover\$6 with coupl\$4 with (error\$4 or	USPAT;	2004/10/06
1	930	fail\$6 or problem\$1 or malfunction or fault\$4)	US-PGPUB; EPO; JPO; DERWENT;	13:58
2	11	without with preallocat\$4 with space\$1	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/10/06 13:43
3	2	(recover\$6 with coupl\$4 with (error\$4 or fail\$6 or problem\$1 or malfunction or fault\$4)) same (without with preallocat\$4 with space\$1)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/10/06 13:42
4	2	(recover\$6 with coupl\$4 with (error\$4 or fail\$6 or problem\$1 or malfunction or fault\$4)) and (without with preallocat\$4 with space\$1)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/10/06 13:42
5	121	preallocat\$4 with space\$1	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/10/06 13:43
6	2	(recover\$6 with coupl\$4 with (error\$4 or fail\$6 or problem\$1 or malfunction or fault\$4)) same (preallocat\$4 with space\$1)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/06 13:50
7	51221	(prevent\$4 or prohibit\$4 or inhibit\$4 or avoid\$4 or unauthoriz\$4) adj3 access\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/06 13:53
8	37	((prevent\$4 or prohibit\$4 or inhibit\$4 or avoid\$4 or unauthoriz\$4) adj3 access\$4) with coupl\$4 with (error\$4 or fail\$6 or problem\$1 or malfunction or fault\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/06 14:33
9	37167	(select\$4 or choos\$4 or pick\$4) same new same (storage\$1 or cache or memory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/06 14:50
10	2	<pre>(((prevent\$4 or prohibit\$4 or inhibit\$4 or avoid\$4 or unauthoriz\$4) adj3 access\$4) with coupl\$4 with (error\$4 or fail\$6 or problem\$1 or malfunction or fault\$4)) same ((select\$4 or choos\$4 or pick\$4) same new same (storage\$1 or cache</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/06 14:06
11	6	or memory))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/06 14:06
13	2	pick\$4) same new same (storage\$1 or cache or memory)) ((select\$4 or choos\$4 or pick\$4) same new same (storage\$1 or cache or memory)) and (parallel adj sysplex adj configur\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/10/06 14:52
12	14	parallel adj sysplex adj configur\$6	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/06 15:10

-1.4	1 (2.25			10004/10/06
14	40496	(parallel or dual or redundan\$4 or	USPAT;	2004/10/06
		multi\$6 or alternat\$4 or backup or	US-PGPUB;	15:23
		back-up or (back adj up) or double or	EPO; JPO;	
		stand-by or (stand adj by)) adj1 (memory	DERWENT;	
15		or storage)	IBM_TDB	2004/10/06
15	1	((parallel or dual or redundan\$4 or	USPAT; US-PGPUB;	2004/10/06 15:18
		multi\$6 or alternat\$4 or backup or		13:10
		back-up or (back adj up) or double or	EPO; JPO;	
		stand-by or (stand adj by)) adj1 (memory or storage)) same (recover\$6 with coupl\$4	DERWENT; IBM TDB	
		with (error\$4 or fail\$6 or problem\$1 or	1511_100	
	Ī	malfunction or fault\$4))		
16	79		USPAT;	2004/10/06
10	"	multi\$6 or alternat\$4 or backup or	US-PGPUB;	15:52
		back-up or (back adj up) or double or	EPO; JPO;	13.32
		stand-by or (stand adj by)) adj1 (memory	DERWENT;	
		or storage)) and (recover\$6 with coupl\$4	IBM TDB	
		with (error\$4 or fail\$6 or problem\$1 or	12122	
		malfunction or fault\$4))		
17	4		USPAT;	2004/10/06
•		multi\$6 or alternat\$4 or backup or	US-PGPUB;	15:19
		back-up or (back adj up) or double or	EPO; JPO;	
		stand-by or (stand adj by)) adj1 (memory	DERWENT;	ļ
		or storage)) and (recover\$6 with coupl\$4	IBM TDB	
		with (error\$4 or fail\$6 or problem\$1 or	_	
		malfunction or fault\$4))) and ((select\$4		
		or choos\$4 or pick\$4) same new same		
		(storage\$1 or cache or memory))		
18	802	((parallel or dual or redundan\$4 or	USPAT;	2004/10/06
		multi\$6 or alternat\$4 or backup or	US-PGPUB;	15:23
		back-up or (back adj up) or double or	EPO; JPO;	
		stand-by or (stand adj by)) adj1 (memory	DERWENT;	
		or storage)) same recover\$6	IBM_TDB	
19	16	' ' '	USPAT;	2004/10/06
		multi\$6 or alternat\$4 or backup or	US-PGPUB;	15:24
		back-up or (back adj up) or double or	EPO; JPO;	
		stand-by or (stand adj by)) adj1 (memory	DERWENT;	
		or storage)) same recover\$6) and	IBM_TDB	
		(recover\$6 with coupl\$4 with (error\$4 or		
		fail\$6 or problem\$1 or malfunction or		
20		fault\$4))		0004/10/06
20	47	, , , , , , , , , , , , , , , , , , ,	USPAT;	2004/10/06
		multi\$6 or alternat\$4 or backup or	US-PGPUB;	16:04
		back-up or (back adj up) or double or	EPO; JPO;	
		stand-by or (stand adj by)) adjl (memory	DERWENT;	
		or storage)) and (recover\$6 with coupl\$4	IBM_TDB	
		<pre>with (error\$4 or fail\$6 or problem\$1 or malfunction or fault\$4))) and</pre>		[i
		(714/\$.ccls.)		}
21	35	1 ' ' '	USPAT;	2004/10/06
		multi\$6 or alternat\$4 or backup or	US-PGPUB;	15:53
		back-up or (back adj up) or double or	EPO; JPO;	13.33
		stand-by or (stand adj by)) adj1 (memory	DERWENT;	}
		or storage)) and (recover\$6 with coupl\$4	IBM TDB	
		with (error\$4 or fail\$6 or problem\$1 or	1551_155	
		malfunction or fault\$4))) and		
		(714/\$.ccls.)) not ((((parallel or dual		
		or redundan\$4 or multi\$6 or alternat\$4 or_		
		-backup-or-back-up or (back adj up) or		, ·
		double or stand-by or (stand adj by))		
		adj1 (memory or storage)) same recover\$6)		
		and (recover\$6 with coupl\$4 with (error\$4		
		or fail\$6 or problem\$1 or malfunction or		
		fault\$4)))		
				

	7-	1777 - 122 - 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2	TIOD NO.	2004/10/06
22	15	1 1 1	USPAT;	2004/10/06
		multi\$6 or alternat\$4 or backup or	US-PGPUB;	16:04
		back-up or (back adj up) or double or	EPO; JPO;	
!		stand-by or (stand adj by)) adj1 (memory	DERWENT;	ŀ
!		or storage)) and (recover\$6 with coupl\$4	IBM_TDB	
		with (error\$4 or fail\$6 or problem\$1 or		
		malfunction or fault\$4))) and		
!		(711/\$.ccls.)		
23	9	((\ Parallel or and or remainded)	USPAT;	2004/10/06
		multi\$6 or alternat\$4 or backup or	US-PGPUB;	16:04
		back-up or (back adj up) or double or	EPO; JPO;	
		stand-by or (stand adj by)) adj1 (memory	DERWENT;	
		or storage)) and (recover\$6 with coupl\$4	IBM_TDB	!
		with (error\$4 or fail\$6 or problem\$1 or		
		malfunction or fault\$4))) and		
		(711/\$.ccls.)) not ((((parallel or dual		
1		or redundan\$4 or multi\$6 or alternat\$4 or		
		backup or back-up or (back adj up) or		·
		double or stand-by or (stand adj by))		
		adj1 (memory or storage)) and (recover\$6		
		with coupl\$4 with (error\$4 or fail\$6 or		
ŀ		problem\$1 or malfunction or fault\$4)))		l i
		and (714/\$.ccls.)) not (((parallel or		i l
		dual or redundan\$4 or multi\$6 or		
ľ		alternat\$4 or backup or back-up or (back		1
		adj up) or double or stand-by or (stand		l i
		adj by)) adj1 (memory or storage)) same		
		recover\$6) and (recover\$6 with coupl\$4		
		with (error\$4 or fail\$6 or problem\$1 or		
		malfunction or fault\$4))))		